Listing of Claims:

- 1. (Currently Amended) A method of treatment for treating, preventing, inhibiting or reducing extracellular matrix build-up in a body tissue or a bodily fluid transport vessel, in a subject, comprising administering to a subject an effective amount of a composition comprising a peptide agent comprising a polypeptide comprising amino acid sequence LKKTET or a conservative variant thereof, KLKKTET, LKKTETQ, Thymosin β4 (Τβ4)[[,]] or oxidized Τβ4, N terminal variants of Τβ4, C terminal variants of Τβ4, Τβ9, Τβ10, Τβ11, Τβ12, Τβ13, Τβ14, Τβ15, gelsolin, vitamin D binding protein (DBP), profilin, cofilin, depactin, Dnasel, vilin, fragmin, severin, capping protein, β actinin or acumentin, or a stimulating agent that stimulates production of said polypeptide in said tissue, so as to inhibit said extracellular matrix build-up in a body tissue or a bodily fluid transport vessel.
- 2. (Currently Amended) The method of claim 1 wherein said peptide agent comprises thymosin beta 4 ($T\beta4$), amino acid sequence KLKKTET, amino acid sequence LKKTETQ, an N-terminal variant of $T\beta4$, a C-terminal variant of $T\beta4$, an isoform of $T\beta4$, or exidized $T\beta4$.
- 3. (Original) The method of claim 1 wherein said peptide agent is administered to said subject at a dosage within a range of about 1-10 mg/kg body weight of said subject.
- 4. (Oṛiginal) The method of claim 1 wherein said agent is administered by direct administration to said tissue, or by intravenous, intraperitoneal, intramuscular, subcutaneous, inhalation, transdermal or oral administration, to said subject.
- 5. (Original) The method of claim 1 wherein said composition is administered systemically.
- 6. (Original) The method of claim 1 wherein said composition is administered directly.

- 7. (Original) The method of claim 1 wherein said composition is comprised of a matrix, adhesive, solution, gel, crème, paste, lotion, spray, suspension, dispersion, salve, hydrogel or ointment formulation.
- 8. (Original) The method of claim 1 wherein said peptide agent is a recombinant or synthetic peptide.
- 9. (Withdrawn) The method of claim 1 wherein said agent is an antibody.
- 10. (Currently Amended) The method of claim 1 wherein said peptide agent or said stimulating agent <u>Tβ4</u> is administered in conjunction with utilization in said subject of at least one of an arterial stent, venous stent, cardiac catheterization, corroded stent, aortic stent, pulmonary stent, angioplasty, bypass surgery or neurosurgery.
- 11. (Original) The method of claim 1 wherein said matrix build-up comprises plaque present in at least one of a coronary vessel, heart valve or heart septa of said subject.
- 12. (Currently Amended) The method of claim 1 wherein said peptide agent or said stimulating agent $T\beta 4$ is linked to a physiologically acceptable adhesive.
- 13. (Currently Amended) The method claim 1 wherein said peptide agent or stimulating agent <u>Tβ4</u> is administered to said subject so as to treat, prevent, inhibit or reduce stenosis or restenosis in said subject.
- 14. (Currently Amended) The method of claim 13 wherein said peptide agent or said stimulating agent <u>Tβ4</u> is administered at least one of prior to, during or following angioplasty in said subject.

15-17. (Canceled)

- 18. (Currently Amended) The method of claim 1 wherein said poptide agent or said stimulating agent <u>Tβ4</u> is administered in combination with at least one plaque-reducing agent or cholesterol-reducing agent.
- 19. (Withdrawn) A mechanical medical device for utilization in a body of a subject, said device being linked to a peptide agent comprising a polypeptide comprising amino acid sequence LKKTET or a conservative variant thereof, KLKKTET, LKKTETQ, Thymosin β 4 (T β 4), oxidized T β 4, N-terminal variants of T β 4, C-terminal variants of T β 4, T β 10, T β 11, T β 12, T β 13, T β 14, T β 15, gelsolin, vitamin D binding protein (DBP), profilin, cofilin, depactin, Dnasel, vilin, fragmin, severin, capping protein, β -actinin or acumentin.
- 20. (Withdrawn) The device of claim 19, comprising an arterial stent, a venus stent, a carotid stent, an aortic stent or a pulmonary stent.
- 21. (Withdrawn) The device of claim 19 wherein said peptide agent is covalently linked to said device, said peptide agent is present in a matrix linked to said device, said peptide agent is coupled by an adhesive to said device, or said peptide agent is present in a gel linked to said device.
- 22. (Withdrawn) The device of claim 19 wherein said peptide agent is Tβ4.
- 23. (Withdrawn) A method of medical treatment comprising providing the medical device of claim 19 in a body of a subject, said medical device being linked to said peptide agent.
- 24. (Withdrawn) The method of claim 23 wherein said device is an arterial stent, a venus stent, a carotid stent, an aortic stent or a pulmonary stent.
- 25. (Withdrawn) The method of claim 23 wherein said peptide agent is Tβ4.
- 26. (Withdrawn) A method of medical treatment comprising introducing a mechanical medical device into a body of a subject, and administering to the subject a peptide agent comprising a polypeptide comprising amino acid sequence LKKTET or a conservative

variant thereof, KLKKTET, LKKTETQ, Thymosin $\beta4$ (T $\beta4$), oxidized T $\beta4$, N-terminal variants of T $\beta4$, C-terminal variants of T $\beta4$, T $\beta9$, T $\beta10$, T $\beta11$, T $\beta12$, T $\beta13$, T $\beta14$, T $\beta15$, gelsolin, vitamin D binding protein (DBP), profilin, cofilin, depactin, Dnasel, vilin, fragmin, severin, capping protein, β -actinin or acumentin, wherein said administering is at least one of before, during or after introducing said medical device into said subject.

- 27. (Withdrawn) The method of claim 26 wherein said medial device is utilized in catheterization.
- 28. (Withdrawn) The method of claim 26 wherein said polypeptide is thymosin beta 4.
- 29. (Withdrawn) The method of claim 1 wherein said polypeptide is thymosin beta 4.